

Docket No.: 243112US2S CONT/wms

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

IN RE APPLICATION OF: Kazuhiro KATADA, et al.

SERIAL NUMBER: 10/668,315

GROUP: 3627

FILED: September 24, 2003

EXAMINER: ADE, OGER GARCIA

FOR: APPARATUS UNIT REPLACEMENT ASSISTING METHOD AND SYSTEM

**REQUEST TO CORRECT ALLOWED CLAIMS**

MAIL STOP ISSUE FEE  
COMMISSIONER FOR PATENTS  
P.O. BOX 1450  
ALEXANDRIA, VA 22313-1450


SIR:

In the matter of the above-identified application for patent, we hereby request  
correction of your records to reflect the correct allowed claims.

The allowed claims should be: **1-3, 5-16, 35, 38-43, and 50-54.**

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.

  
Marvin J. Spivak

Registration No. 24,913

Customer Number

**22850**

Tel. (703) 413-3000  
Fax. (703) 413-2220  
(OSMMN 03/06)

~~Joseph Sca-~~ Joseph Scaletta, Jr.  
~~Registration No.~~ Registration No. 26,803  
Michael Britton  
Registration No. 47,260